



Associate Professor Amanda Oakley

Dermatologist
Hamilton



Professor H. Peter Soyer

Academic Dermatologist
The University of
Queensland
Brisbane

Thursday, June 8, 2017

(Room 5)

8:30 - 10:30 WS #3: Dermoscopy Workshop Part 1

11:00 - 13:00 WS #10: Dermoscopy Workshop Part 2

14:00 - 16:00 WS #16: Dermoscopy Workshop Part 1 (Repeated)


16:30 - 18:30 WS #22: Dermoscopy Workshop Part 2 (Repeated)

Case 1

- **Age:** 68 years
- **Sex:** male
- **Location:** back
- **History:** enlargement









Case 1


- **Diagnosis:** basal cell carcinoma
- **Management:** excision

Case 2

- **Age:** 40 years
- **Sex:** male
- **Location:** thigh
- **History:** routine control










Case 2


- **Diagnosis:** black nevus
- **Management:** no treatment – follow-up – excision

Case 3

- **Age:** 33 years
- **Sex:** male
- **Location:** thoracal
- **History:** no specific history











Case 3


- **Diagnosis:** black nevus
- **Management:** no treatment – follow-up – excision (tape stripping)


Case 4


- **Age:** 59 years
- **Sex:** male
- **Location:** chest
- **History:** change of colour













Case 4


- **Diagnosis:** dermal nevus with hemorrhage
- **Management:** excision


Case 5


- **Age:** 80 years
- **Sex:** female
- **Location:** arm
- **History:** daughter noticed a tumour
















Case 5


- **Diagnosis:** melanoma, Level III, 3,6 mm
- **Management:** excision

Case 6

- **Age:** 23 years
- **Sex:** female
- **Location:** shoulder
- **History:** noticed a black macule between numerous sun-induced freckles









Case 6


- **Diagnosis:** reticulated lentigo (ink spot lentigo)
- **Management:** no treatment – follow-up -- excision


Case 7


- **Age:** 56 years
- **Sex:** male
- **Location:** face
- **History:** present for years, small changes in the contour













Case 7


Diagnosis: melanoma (0,6mm) + dermal nevus (Miescher)


Management: excision


Case 8

- **Age:** 47 years
- **Sex:** male
- **Location:** back
- **History:** noticed enlargement of a mole









Case 8


- **Diagnosis:** nevoid melanoma, level III, 0.9mm
- **Management:** excision

Case 9

- **Age:** 11 years
- **Sex:** male
- **Location:** thigh
- **History:** since birth







A dermoscopic image of a skin lesion, likely a congenital nevus. The lesion is centrally located, showing a dark brown to black pigmented area with some lighter, tan-colored areas. There are several fine, dark, hair-like structures visible on the skin surface. The background skin is light-colored with some subtle texture and fine lines.

Case 9


- **Diagnosis:** congenital nevus
- **Management:** excision, digital follow-up


Case 10


- **Age:** 89 years
- **Sex:** male
- **Location:** gluteal
- **History:** bleeding tumour














Case 10


- **Diagnosis:** irritated seborrheic keratosis
- **Management:** excision

Case 11

- **Age:** 45 years
- **Sex:** male
- **Location:** chest
- **History:** routine control










Case 11


- **Diagnosis:** atypical/dysplastic nevus
- **Management:** excision (follow-up)


Case 12


- **Age:** 53 years
- **Sex:** female
- **Location:** cervical
- **History:** patient asked for excision for cosmetic reasons















Case 12


- **Diagnosis:** lymphangioma
- **Management:** no special treatment


Case 13

- **Age:** 31 years
- **Sex:** male
- **Location:** mons pubis
- **History:** patient had a testicular carcinoma, after chemotherapy he noticed an infection at this location










Case 13


- **Diagnosis:** postinflammatory hyperpigmentation
- **Management:** excision


Case 14

- **Age:** 68 years
- **Sex:** female
- **Location:** back
- **History:** patient had a drug reaction









Case 14






- **Diagnosis:** basal cell carcinoma
- **Management:** excision


Case 15

- **Age:** 23 years
- **Sex:** male
- **Location:** shoulder
- **History:** routine control










Case15


- **Diagnosis:** atypical spindle cell nevus Reed
- **Management:** excision


Case 16

- **Age:** 32 years
- **Sex:** male
- **Location:** shoulder
- **History:** change of colour









Case 16

- **Diagnosis:** melanoma in situ + dermal congenital nevus
- **Management:** excision


Case 17


- **Age:** 43 years
- **Sex:** male
- **Location:** finger
- **History:** noticed a black line in the nail




















Case 17


- **Diagnosis:** melanoma in situ
- **Management:** excision


Case 18

- **Age:** 51 years
- **Sex:** female
- **Location:** labium majus
- **History:** developed many brown macules in the genital area











Case 18


- **Diagnosis:** labial lentigo (genital melanosis)
- **Management:** biopsy, observation


Case 19

- **Age:** 35 years
- **Sex:** female
- **Location:** thigh
- **History:** noticed a hard papule











Case 19

- **Diagnosis:** dermatofibroma with seborrheic keratosis-like epidermal hyperplasia
- **Management:** excision or digital follow up

